October 17, 2005



Hector Rodriquez Tully's

Seattle, WA 98103



RE: Bulk Asbestos Fiber Analysis; NVL Batch # 2515050.00

Dear Mr. Rodriquez,

Enclosed please find test results for the bulk samples submitted to our laboratory for analysis. Examination of these samples was conducted for the presence of identifiable asbestos fibers using polarized light microscopy (PLM) with dispersion staining in accordance with U.S. EPA/600/R-93/116 Test Method.



For samples containing more than one separable layer of materials, the report will include findings for each layer (labeled Layer 1 and Layer 2, etc. for each individual layer). The asbestos concentration in the sample is determined by visual estimation.



AIHA - IH Lab Code: 101861 For those samples with asbestos concentrations between 1 and 10 percent based on visual estimation, the EPA recommends a procedure known as point counting (NESHAPS, 40 CFR Part 61). Point counting is a statistically more accurate means of quantification for samples with low concentrations of asbestos. If you would like us to further refine the concentration estimates of asbestos in these samples using point counting, please let me know.

This report is considered highly confidential and will not be released without your approval. Samples are archived for two weeks following analysis. Samples that are not retrieved by the client are discarded after two weeks.

Thank you for using our laboratory services. Please do not hesitate to call if there is anything further we can assist you with.

Sincerely,

Munaf Khan, Laboratory Director

A708 AURORA AVE N
SEATTLE. WA 98103.6516

206.634.1936

nvllabs@nvllabs.com

Enc.: Sample Results



NVL Laboratories, Inc.

M&J&M

4708 Aurora Ave. N., Seattle, WA 98103 Tel: 206.547.0100, Fax: 206.634.1936 www.nyllabs.com

Bulk Asbestos Fibers Analysis

#102063

Client: Tully's

By Polarized Light Microscopy

Address:

Client Project #:n/a

Seattle, WA 98103

Samples Received: 1
Samples Analyzed: 1

Batch #: 2515050.00

Attention: Mr. Hector Rodriquez
Project Location: Tully's Airport Way South.

Method: EPA/600R-93/116

Lab ID: 25090546 Client Sample #: Tully's 01

Location: Tully's Airport Way South.

Layer 1 of 1 Description: White fibrous powdery material

Non-Fibrous Materials: Other

Other Fibrous Materials:%

Asbestos Type: %

Binder/Filler

None Detected ND

Amosite 25%

Sampled by: Client

Analyzed by: Zubair Ahmed

Reviewed by: Munaf Khan

Date Analyzed: 10/17/2005

Date Issued: 10/17/2005

Munaf Khan, Laboratory Director

Note: If samples are not homogeneous, then subsamples of the components were analyzed separately. All bulk samples are analyzed using EPA 600/R-93/116 Method with the following measurement uncertainties for the reported % Asbestos (1%=0-3%, 5%=1-9%, 10%=5-15%, 20%=10-30%, 50%=40-60%). This report relates only to the items tested. If sample was not collected by NVL personnel, then the accuracy of the results is limited by the methodology and acuity of the sample collector. This report shall not be reproduced except in full, without written approval of NVL Laboratories, Inc. It shall not be used to claim product endorsement by NVLAP or any other agency of the US Government.

Page 1 of 1

NVL Laboratories, Inc. 4708 Aurora Ave N, Seattle, WA 98103 Tel: 206.547.0100 Emerg.Pager: 206.344.1878

CHAIN of CUSTODY SAMPLE LOG

BATCH ID 2515050 00

ax: 206.634.19	36 1.888	3.NVL.LABS (685.522	7)		23	10000.0	JU
Clie	ent : Tu	Llyis		NVL Bato	h Number		
Stre	eet			Client Jo	b Number		
				— Tota	i Samples		
Project Manag	ner Hecto			— Turn Ard	ound Time 11-Hr	24-Hrs 4 Days	
Project Manas Project Locati					Turn Around Time □ 1-Hr □ 24-Hrs □ 4 Days □ 2-Hrs □ 2 Days □ 5 Days □ 3 Days □ 6 to 10 Days		
1 10,000 20000		PORT WAY SO.				se call for TAT less that	an 24 Hrs
-		•	(000) 575 4400		ail address hrodrigu		
		575-9773 Fax: (PCM (NIOSH 7400)	(206) 575-1193		(425) 766-5207		
Asbestos		PLM (RIOSH 7400) [
Mold/Fun		Mold Air Mold Bulk			PLIN (EPA Graville	TY) LI TENTOUR	
METALS		L/Det Limit Matrix	Kotometer	7	RCRA Metals	□All 8	Other Metals
☐ Total Meta	als F	FAA (ppm)		aint Chips in cm2 aste Water ther	Arsenic (As)	Selenium (Se)	All 3 Copper (Cu) Nickel (Ni) Zinc (Zn)
☐ Other Typ		iberglass Nuisanc	e Dust	r (Specify)			
of Analys		Silica Respira					
		ge: Good Dama					
	ab ID				le are, Sample Volu	me, etc)	A/R
1 2		TULLY'S	01 WF	PITE INSUL	ATION		
3							, -
4							
5	·						
6						10)	
7				0.1	2(), 6	1	
8				Dail			
9				1000	Cash	*	
10						71	
11						$\overline{}$	
12							
13							
14							
15							
	Р	rint Below	Sign Below		Company	Date	Time
Sam	pled by /	4 Rodriguez	deter 1	ody		10-17-0	5 10AM
Relinquis		t Rodriguez	Hute R	orly_		10-17-01	5 12pm
	ived by	ZUBAIL HHMEN		1387	<i>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</i>	16/17	7 1
	yzed by				16		3pm
Results Ca			ļ				
Results Fa	axed by		<u>L</u>				
Special Ins	struction	s: Unless requested in	n writing, all sam	ples will be dispos	ed of two (2) weeks	after analysis.	
1		20TO1 425					